

REQUEST FOR QUOTATIONS <i>(THIS IS NOT AN ORDER)</i>		THIS RFQ <input checked="" type="checkbox"/> IS <input type="checkbox"/> IS NOT A SMALL BUSINESS SET-ASIDE			PAGE 1	OF PAGES 15
1. REQUEST NO. W911XK-04-T-0085	2. DATE ISSUED 22-Sep-2004	3. REQUISITION/PURCHASE REQUEST NO. W56MES-4231-2487	4. CERT. FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1	RATING		
5a. ISSUED BY CONTRACTING DIVISION DETROIT DISTRICT, USAED P.O. BOX 1027 DETROIT MI 48231-1027			6. DELIVER BY <i>(Date)</i> SEE SCHEDULE			
			7. DELIVERY [X] FOB DESTINATION [] OTHER <i>(See Schedule)</i>			
5b. FOR INFORMATION CALL: <i>(Name and Telephone no.) (No collect calls)</i> DEBORAH J MCCOLLA-BUTLER 313 226-6474						
8. TO: NAME AND ADDRESS, INCLUDING ZIP CODE			9. DESTINATION <i>(Consignee and address, including ZIP Code)</i> GRAND HAVEN AREA OFFICE 307 SOUTH HARBOR STREET GRAND HAVEN MI 49417 TEL: FAX:			
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5a ON OR BEFORE CLOSE OF BUSINESS: <i>(Date)</i> 27-Sep-2004						
IMPORTANT: This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5a. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter.						
11. SCHEDULE <i>(Include applicable Federal, State, and local taxes)</i>						
ITEM NO. (a)	SUPPLIES/ SERVICES (b)	QUANTITY (c)	UNIT (d)	UNIT PRICE (e)	AMOUNT (f)	
SEE SCHEDULE						
12. DISCOUNT FOR PROMPT PAYMENT		a. 10 CALENDAR DAYS %	b. 20 CALENDAR DAYS %	c. 30 CALENDAR DAYS %	d. CALENDAR DAYS No. %	
NOTE: Additional provisions and representations <input type="checkbox"/> are <input type="checkbox"/> are not attached.						
13. NAME AND ADDRESS OF QUOTER <i>(Street, City, County, State, and ZIP Code)</i>			14. SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15. DATE OF QUOTATION	
			16. NAME AND TITLE OF SIGNER <i>(Type or print)</i>		TELEPHONE NO. <i>(Include area code)</i>	

Section B - Supplies or Services and Prices

ITEM NO	SUPPLIES/SERVICES	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	Replace Main Entrance at GHAO, 307 S. Harbor St., Grand Have, MI 49417 in accordance with attached Scope of Work.	1	Lump Sum	\$_____	\$_____

SOW

Scope of Work

GRAND HAVEN AREA OFFICE

LOWER ENTRY DOOR AND SIDELITE REPLACEMENT

PART 1 GENERAL

The contractor shall replace the lower entry door including frame and sidelight. The approximate dimensions of the frame is 71.5" W x 84.5" H. Precise measurements shall be field measured. The new hardware shall consist of a top and bottom pivot set, door closing device, panic bar w/pull and key entry, threshold and sweep and stainless steel kick plates. The existing electric strike can be reinstalled in the frame or there may be a better and more secure way to add a new electric strike when the door/frame is manufactured.

1.1 SECTION INCLUDES

- 1.1.1 Aluminum door, sidelight, transom and frame.
- 1.1.2 Perimeter sealant.
- 1.1.3 Weather-stripping and sill sweep strips.

1.5 REFERENCES

- 1.5.1 AAMA- Metal Curtain Wall, Window, Storefront and Entrance-Guide Specifications Manual.
- 1.5.2 AAMA- Curtain Wall Manual #10- Care and Handling of Architectural Aluminum From Shop Site.
- 1.5.3 AAMA 603.8- Performance Requirements and Test Procedures for Pigmented Organic Coatings on Extruded Aluminum.
- 1.5.4 AAMA 605.2- Specification for High Performance organic Coatings on Architectural Extrusions and Panels.
- 1.5.5 AAMA SFM-1- Aluminum Storefront and Entrance Manual.
- 1.5.6 ANSI A117.1- Safety Standards for the Handicapped.
- 1.5.7 ANSI/ASTM A36- Structural Steel.

- 1.5.8 ANSI/ASTM A386- Zinc Coating (Hot Dip) on Assembled Steel Products.
- 1.5.9 ANSI/ASTM B209- Aluminum and Aluminum-Alloy Sheet and Plate.
- 1.5.10 ANSI/ASTM B221- Aluminum-Alloy Extruded Bar, Rod, Wire, Shape and Tube.
- 1.5.11 ANSI/ASTM E283- Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors.
- 1.5.12 ANSI/ASTM E330- Structural Performance of Exterior Windows, Curtain Walls, and Doors by Uniform Static Air Pressure Difference.
- 1.5.13 ANSI/ASTM E331- Test Method for Water Penetration of Exterior Windows, Curtain Walls, and Doors by Uniform Static Air Pressure Difference.
- 1.5.14 SSPC- Steel Structures Painting Council.

1.6 SYSTEM DESCRIPTION

- 1.6.1 Aluminum entrances and storefront includes shop-fabricated, factory finished, tubular aluminum sections, door w/window and sidelight glass, hardware, weather-stripping, sill sweep, flashing, anchorage and attachment devices

1.7 PERFORMANCE REQUIREMENTS

- 1.7.1 Design and size components to withstand dead and live loads caused by positive and negative wind pressure acting normal to plane of wall as calculated in accordance with local code to a design pressure of 1.5kPa as measured in accordance with ANSI/ASTM E330.
- 1.7.2 Limit mullion deflection to flexure limit of glass with full recovery of glazing materials.
- 1.7.3 System to accommodate, without damage to components or deterioration of seals, movement within system, movement between system and peripheral construction, dynamic loading and release of loads, deflection of structural support framing.
- 1.7.4 Limit air leakage through assembly to 22.8 cu m min/min/sq.m of wall area, measured at a reference differential pressure across assembly of 75.17Pa as measured in accordance with AAMA 501.
- 1.7.5 Vapor Seal with Interior Atmospheric Pressure of 25 mm sp, 22 degrees C, 40 Percent RH: No failure.
- 1.7.6 Maintain continuous air and vapor barrier throughout assembly, primarily in line with inside pane of glass and heel bead of glazing compound.
- 1.7.7 System to provide for expansion and contraction within system components caused by a cycling temperature range of 170 degrees over a 12-hour period without causing detrimental affect to system components.
- 1.7.8 Drain water entering joints, condensation occurring in glazing channels, or migrating moisture occurring within system, to the exterior by a weep drainage network.

1.8 SUBMITTALS:

SD-01 Data

Aluminum Entrances; FIO

Manufacturers certification that Products meet or exceed specified requirements.

Hardware; GA

Contractor will submit proposed hardware for government approval.

SD-14 Samples

Aluminum Entrances; FIO

Submit two samples of each color finish system 100X100mm illustrating materials, thickness, factory-finished aluminum surfaces, glass units and glazing materials. The color shall match close to the existing brown or bronze.

1.9 QUALITY ASSURANCE

1.9.1 Perform Work in accordance with AAMA-SFM-1 and AAMA- Metal Curtain Wall, Window, Store Front and Entrance- Guide Specifications Manual.

1.9.2 Conform to requirements of ANSI A117.1

1.10 QUALIFICATIONS

1.10.1 Manufacturer and Installer: Company specializing in manufacturing aluminum glazing systems with minimum six years documented experience.

1.11 PRE-INSTALLATION MEETING

1.11.1 Convene prior to commencing work of this section

1.12 DELIVERY, STORAGE AND HANDLING

1.12.1 Deliver aluminum entrance and storefront components in the manufacturer's original protective packaging.

1.12.2 Store aluminum components in a clean dry location away from uncured masonry or concrete. Cover components with waterproof paper, tarpaulin or polyethylene sheeting in a manner to permit circulation of air.

1.12.3 Protect factory-finished aluminum surfaces with wrapping strippable coating. Do not use adhesive papers or sprayed coatings that bond when exposed to sunlight or weather.

1.13 ENVIRONMENT REQUIREMENTS

1.13.1 Do not install sealants when ambient temperature is less than 4.44 degrees C during and 48 hours after installation.

1.14 FIELD MEASUREMENTS

1.14.1 Field measurements shall be taken to insure proper fit.

1.15 WARRANTY

1.15.1 Provide three-year warranty to include coverage for complete system for failure in meeting specified requirements.

PART 2 PRODUCTS

- 2.1 MANUFACTURERS... These are furnished to indicate quality. Other manufacturers furnishing similar quality products are acceptable.
 - 2.1.1 Kawneer Company
 - 2.1.2 United States Aluminum Corp.
 - 2.1.3 Vistawall Architectural Products

- 2.2 MATERIALS
 - 2.2.1 Extruded Aluminum: ANSI/ASTM B221; 6063 alloys, T5 temper.
 - 2.2.2 Sheet Aluminum: ANSI/ASTM B209 alloy, temper.
 - 2.2.3 Steel Sections: ANSI/ASTM A36 shaped to suit mullion sections.
 - 2.2.4 Fasteners: Stainless Steel
 - 2.2.5 Shop and Touch-Up Primer for Steel Components: SSPC 15, Type 1, red oxide.
- 2.3 COMPONENTS
 - 2.3.1 Frame: Dimensions shall be field measured and per manufacturer to meet performance requirements; thermally broken with interior tubular section insulated from exterior; flush glazing stops; drainage holes; internal weep drainage system.
 - 2.3.2 Mullion: Dimensions shall be field measured and per manufacturer to meet performance requirements; profile of extruded aluminum with internal reinforcement of shaped steel structural section shall be used as necessary to meet performance requirements.
 - 2.3.3 Door: 44.45mm thick, 101.6mm wide top rail, 101.6mm wide vertical stiles, 400mm wide bottom rail; square glazing stops; insulated door window.
 - 2.3.4 Flashings: Finished to match mullion sections where exposed.
 - 2.3.5 Fire rated door assemblies shall bear the listing identification label of nationally recognized testing laboratory qualified to perform tests of fire door assemblies in accordance with NFPA and having a listing for the tested assemblies.

- 2.4 GLASS AND GLAZING MATERIALS
 - 2.4.1 Insulating glass shall be class A preassembled units of dual-seal construction consisting of lites of glass separated by an aluminum, steel, or stainless steel, spacer and dehydrated space conforming to ASTM E 773 and ASTM E 774. Spacer shall be roll-formed, with bent or tightly welded or keyed and sealed joints to completely seal the spacer periphery and eliminate moisture and hydrocarbon vapor transmission into airspace through the corners. Primary seal shall be compressed polyisobutylene and the secondary seal shall be a specially formulated silicone. **Glass type shall be Low-E Insulating glass**, Type I annealed flat glass, Class 1-clear with anti-reflective low-emissive coating on No. 2 surface (inside surface of exterior pane), Quality q3-glazing select, conforming to ASTM C 1036. Glass performance shall be 2.5 R-Value/Winter Nighttime, shading coefficient. Color shall be clear.
 - 2.4.2 Glazing shall be performed per manufacture's recommendations.
 - 2.4.3 Sidelight: Provide a separate price to have Corps castle imprinted or sandblasted in the sidelight glass.

- 2.5 SEALANT MATERIALS

2.5.1 Sealant and Backing Materials: As per manufacturers recommendations.

2.6 HARDWARE

- 2.6.1 Hardware consists of a top and bottom pivot set, door closing device, panic bar w/pull and key entry and threshold.
- 2.6.2 Weather-stripping: Wool pile, continuous and replaceable.
- 2.6.3 Sill Sweep Strips: Retracting resilient seal type, of neoprene compound.
- 2.6.4 Stainless Steel Kick Plate
- 2.6.5 The lock shall be keyed to match existing lock system.

2.7 FABRICATION

- 2.7.1 Fabricate components with minimum clearances and shim spacing around perimeter of assembly, yet enabling installation and dynamic movement of perimeter seal.
- 2.7.2 Accurately fit and secure joints and corners. Make joints flush, hairline, and weatherproof.
- 2.7.3 Prepare components to receive anchor devices. Fabricate anchors.
- 2.7.4 Arrange fasteners and attachments to conceal from view.
- 2.7.5 Prepare components with internal reinforcement for door hardware and door operator hinge hardware.

2.8 FINISHES

- 2.8.1 Finish for exterior aluminum entrances and storefronts shall conform to AAMA 605.2 on all exposed aluminum surfaces, having minimum .03mm of dry film thickness.
- 2.8.2 Finish for interior aluminum entrances and storefronts shall conform to AAMA 603.8 on all exposed aluminum surfaces.
- 2.8.3 Concealed Steel Items: Galvanized in accordance with ANSI/ASTM A386 to 610g/sq.m – primed with iron oxide paint.
- 2.8.4 Apply one coat of bituminous paint to concealed aluminum and steel surfaces in contact with cementitious or dissimilar materials.

PART 3 EXECUTION

3.1 EXAMINATION

- 3.1.1 Verify dimensions, tolerances and method of attachment with other work.
- 3.1.2 Verify that wall openings and adjoining air and vapor seal materials are ready to receive work of this Section.

3.2 INSTALLATION

- 3.2.1 Install wall system in accordance with manufacturer's instructions.
- 3.2.2 Attach to structure to permit sufficient adjustment to accommodate construction tolerances and other irregularities.
- 3.2.3 Provide alignment attachments and shims to permanently fasten system to building structure.

- 3.2.4 Align assembly plumb and level, free of warp or twist. Maintain assembly dimensional tolerances, aligning with adjacent work.
- 3.2.5 Provide thermal isolation where components penetrate or disrupt building insulation.
- 3.2.6 Install sill flashings.
- 3.2.7 Pack fibrous insulation in shim spaces at perimeter of assembly to maintain continuity of thermal barrier.
- 3.2.8 Set thresholds in bed of mastic and secure.
- 3.2.9 Install hardware using templates provided.
- 3.2.10 Install glass in accordance with manufacturers recommendations.
- 3.2.11 Install perimeter sealant to method required to achieve performance criteria, backing materials and installation criteria in accordance with manufacturers recommendations.

3.3 TOLERANCES

- 3.3.1 Maximum Variation from Plumb: 1.52mm every 900mm non-cumulative or 1.59mm per 3000mm, whichever is less.
- 3.3.2 Maximum Misalignment of Two Adjoining Members Abutting in Plane: 0.8mm

3.4 ADJUSTING

- 3.4.1 Adjust operating hardware for smooth operation.

3.5 CLEANING

- 3.5.1 Remove protective material from factory-finish aluminum surfaces.
- 3.5.2 Wash down surface with a solution of mild detergent in warm water, applied with soft, clean wiping cloths. Take care to remove dirt from corners. Wipe surfaces clean.
- 3.5.3 Remove excess sealant by method acceptable to sealant manufacturer so as not to damage finish.

3.6 PROTECTION OF FINISHED WORK

- 3.6.1 Protect finished Work from damage.

Section E - Inspection and Acceptance

CLAUSES INCORPORATED BY REFERENCE

52.246-15	Certificate of Conformance	APR 1984
252.246-7000	Material Inspection And Receiving Report	MAR 2003

Section F - Deliveries or Performance

CLAUSES INCORPORATED BY REFERENCE

52.242-15	Stop-Work Order	AUG 1989
52.242-17	Government Delay Of Work	APR 1984
52.247-34	F.O.B. Destination	NOV 1991

Section H - Special Contract Requirements

CLAUSES INCORPORATED BY FULL TEXT

Security Contract Language for all Corps of Engineers' Unclassified Contracts (PIL 2003-06, 19 Feb 03)

All Contractor employees (U.S. citizens and Non- U.S. citizens) working under this contract (*to include grants, cooperative agreements and task orders*) who require access to Automated Information Systems (AIS), (stand alone computers, network computers/systems, e-mail) shall, at a minimum, be designated into an ADP-III position (non-sensitive) in accordance with DoD 5220-22-R, Industrial Security Regulation. The investigative requirements for an ADP-III position are a favorable National Agency Check (NAC), SF-85P, Public Trust Position. The contractor shall have each applicable employee complete a SF-85P and submit to the [USAED, DETROIT](#) Security Officer within three (3) working days after award of any contract or task order, and shall be submitted prior to the individual being permitted access to an AIS. Contractors that have a commercial or government entity (CAGE) Code and Facility Security Clearance through the Defense Security Service shall process the NACs and forward visit requests/results of NAC to the [USAED, DETROIT](#) Security Officer. For those contractors that do not have a CAGE Code or Facility Security Clearance, the [USAED, DETROIT](#) Security Office will process the investigation in coordination with the Contractor and contract employees.

In accordance with Engineering Regulation, ER 380-1-18, Section 4, foreign nationals who work on Corps of Engineers' contracts or task orders shall be approved by the HQUSACE Foreign Disclosure Officer or higher before beginning work on the contract/task order. This regulation includes subcontractor employees. (NOTE: exceptions to the above requirement include foreign nationals who perform janitorial and/or ground maintenance services.) The contractor shall submit to the Division/District Contract Office, the names of all foreign nationals proposed for performance under this contract/task order, along with documentation to verify that he/she was legally admitted into the United States and has authority to work and/or go to school in the US. Such documentation may include a US passport, Certificate of US citizenship (INS Form N-560 or N-561), Certificate of Naturalization (INS Form N-550 or N-570), foreign passport with I-551 stamp or attached INS Form I-94 indicating employment authorization, Alien Registration Receipt Card with photograph (INS Form I-151 or I-551), Temporary Resident Card (INS Form I-688), Employment Authorization Card (INS Form I-688A), Reentry Permit (INS Form I-327), Refugee Travel Document (INS Form I-571), Employment Authorization Document issued by the INS which contains a photograph (INS Form I-688B).

Classified contracts require the issuance of a DD Form 254 (Department of Defense Contract Security Classification Specification).

(End of Clause)

Section I - Contract Clauses

CLAUSES INCORPORATED BY REFERENCE

52.212-4	Contract Terms and Conditions--Commercial Items	OCT 2003
52.219-6	Notice Of Total Small Business Set-Aside	JUN 2003
52.219-6 Alt I	Notice of Total Small Business Set-Aside (Jun 2003) - Alternate I	OCT 1995
52.222-3	Convict Labor	JUN 2003
52.232-18	Availability Of Funds	APR 1984
52.243-5	Changes and Changed Conditions	APR 1984
52.246-1	Contractor Inspection Requirements	APR 1984
52.253-1	Computer Generated Forms	JAN 1991
252.204-7003	Control Of Government Personnel Work Product	APR 1992
252.212-7001 (Dev)	Contract Terms and Conditions Required to Implement Statutes or Executive Orders Applicable to Defense Acquisitions of Commercial Items (Deviation)	JUN 2004
252.219-7011	Notification to Delay Performance	JUN 1998
252.225-7001	Buy American Act And Balance Of Payments Program	APR 2003
252.232-7003	Electronic Submission of Payment Requests	JAN 2004

Section K - Representations, Certifications and Other Statements of Offerors

CLAUSES INCORPORATED BY FULL TEXT

52.219-1 SMALL BUSINESS PROGRAM REPRESENTATIONS (MAY 2004)

(a)(1) The North American Industry Classification System (NAICS) code for this acquisition is 238190.

(2) The small business size standard is 500 employees .

(3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.

(b) Representations. (1) The offeror represents as part of its offer that it () is, () is not a small business concern.

(2) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents, for general statistical purposes, that it () is, () is not a small disadvantaged business concern as defined in 13 CFR 124.1002.

(3) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it () is, () is not a women-owned small business concern.

(4) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents as part of its offer that it () is, () is not a veteran-owned small business concern.

(5) (Complete only if the offeror represented itself as a veteran-owned small business concern in paragraph (b)(4) of this provision.) The offeror represents as part of its offer that it () is, () is not a service-disabled veteran-owned small business concern.

(6) (Complete only if the offeror represented itself as a small business concern in paragraph (b)(1) of this provision.) The offeror represents, as part of its offer, that--

(i) It () is, () is not a HUBZone small business concern listed, on the date of this representation, on the List of Qualified HUBZone Small Business Concerns maintained by the Small Business Administration, and no material change in ownership and control, principal office, or HUBZone employee percentage has occurred since it was certified by the Small Business Administration in accordance with 13 CFR part 126; and

(ii) It () is, () is not a joint venture that complies with the requirements of 13 CFR part 126, and the representation in paragraph (b)(6)(i) of this provision is accurate for the HUBZone small business concern or concerns that are participating in the joint venture. (The offeror shall enter the name or names of the HUBZone small business concern or concerns that are participating in the joint venture: _____.) Each HUBZone small business concern participating in the joint venture shall submit a separate signed copy of the HUBZone representation.

(c) Definitions. As used in this provision--

Service-disabled veteran-owned small business concern--

(1) Means a small business concern--

(i) Not less than 51 percent of which is owned by one or more service-disabled veterans or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more service-disabled veterans; and

(ii) The management and daily business operations of which are controlled by one or more service-disabled veterans or, in the case of a service-disabled veteran with permanent and severe disability, the spouse or permanent caregiver of such veteran.

(2) Service-disabled veteran means a veteran, as defined in 38 U.S.C. 101(2), with a disability that is service-connected, as defined in 38 U.S.C. 101(16).

"Small business concern," means a concern, including its affiliates, that is independently owned and operated, not dominant in the field of operation in which it is bidding on Government contracts, and qualified as a small business under the criteria in 13 CFR Part 121 and the size standard in paragraph (a) of this provision.

Veteran-owned small business concern means a small business concern--

(1) Not less than 51 percent of which is owned by one or more veterans (as defined at 38 U.S.C. 101(2)) or, in the case of any publicly owned business, not less than 51 percent of the stock of which is owned by one or more veterans; and

(2) The management and daily business operations of which are controlled by one or more veterans.

"Women-owned small business concern," means a small business concern --

(1) That is at least 51 percent owned by one or more women; in the case of any publicly owned business, at least 51 percent of the stock of which is owned by one or more women; and

(2) Whose management and daily business operations are controlled by one or more women.

(d) Notice.

(1) If this solicitation is for supplies and has been set aside, in whole or in part, for small business concerns, then the clause in this solicitation providing notice of the set-aside contains restrictions on the source of the end items to be furnished.

(2) Under 15 U.S.C. 645(d), any person who misrepresents a firm's status as a small, HUBZone small, small disadvantaged, or women-owned small business concern in order to obtain a contract to be awarded under the preference programs established pursuant to section 8(a), 8(d), 9, or 15 of the Small Business Act or any other provision of Federal law that specifically references section 8(d) for a definition of program eligibility, shall--

(i) Be punished by imposition of fine, imprisonment, or both;

(ii) Be subject to administrative remedies, including suspension and debarment; and

(iii) Be ineligible for participation in programs conducted under the authority of the Act.

(End of provision)

Section L - Instructions, Conditions and Notices to Bidders

CLAUSES INCORPORATED BY REFERENCE

52.212-1	Instructions to Offerors--Commercial Items	JAN 2004
52.214-34	Submission Of Offers In The English Language	APR 1991
52.214-35	Submission Of Offers In U.S. Currency	APR 1991

CLAUSES INCORPORATED BY FULL TEXT

52.252-1 SOLICITATION PROVISIONS INCORPORATED BY REFERENCE (FEB 1998)

This solicitation incorporates one or more solicitation provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at this/these address(es):

www.arnet.gov/far

(End of provision

Section M - Evaluation Factors for Award

CLAUSES INCORPORATED BY REFERENCE

52.211-6

Brand Name or Equal

AUG 1999